



- EZ FLOW® Filter Series
- Polishing Filter Series

MirOil Filter Bags

MADE IN USA with “Snap on” fitments

Filter as many as 1000 fryers with a single filter bag

DIRECTIONS FOR USE AND SAFETY INFORMATION

Safer and Faster Filtering With The EZ FLOW® Filter

Always use a pot that will fit under the valve and is big enough to hold all the oil.

When full, the oil level should be at least 2” below the top of the pot.

Filter in the morning when the oil is liquid and only 10F or 20F above room temperature.

For Faster Filtering With Heavy Crumb Loads

1. Drain the oil directly into filter pot without passing through the filter.
2. Use a sauce pan and oil from the filter pot to flush crumb residue from the bottom of the fryer.
3. Shut the fryer drain valve. The heavy crumb and sludge will settle to the bottom of the filter pot. Place the EZ FLOW® filter across the top of the fryer.
4. Use the sauce pan to return the oil to the fryer through the filter bag until the weight of the oil and pot is light enough to be lifted and poured safely.
5. Set thermostat to frying temperature and turn fryer ON.

Cleaning procedure

Your MirOil Filter Bag cleans in seconds with hot water spray.

Do NOT use soap or detergent to clean the filter, fry baskets, fryers or filter pots. Do NOT clean any of these items in the dishwasher. The least residue of soap or detergent will reduce the life and performance of your oil.

Statement of Limited Filter Warranty

MirOil Warrants that the filter is free of defects and is suitable for filtering fryer oil at temperatures of up to 350 F (180C)

This warranty shall be void if the filter has been misused or improperly handled.

MirOil and its appointed agency shall be the sole judge of warranty applicability.

Warranty liability shall be limited to repair or replacement of the filter at the option of the manufacturer.

Expressly excluded are implied warranties of merchantability. There are no warranties which extend beyond those recited in this document.

Filters which are thought to be defective should be returned to the manufacturer at the address listed below.

13114 Bleinheim Lne, STE B, Matthews, 28105, NC, USA

+1 980 890 7010

www.MirOil.com

Orders@MirOil.com



Filter Bag Spec Sheet



Efficient and safe filtering
without a filter machine

Improves the performance
of portable filter machines

Filter as many as 1000 fryers
for ½ the cost of paper filters



BETTER

Captures micron size particles
Does not leach chemicals into oil.

FASTER

Much more filter area for oil flow.

SAFER

Filter at bath water temperature
with EZ Flow™ filters.


Filter Bags

	EZ FLOW™ Series <ul style="list-style-type: none">• Safe filtering at bath water temps.*• Filter oil at frying temperatures.• For heavy crumb loads.					Oil Polishing Series <ul style="list-style-type: none">• Filter oil at frying temperatures.• Captures micron size particles.		
Filter Bag Model	<u>RB6PS</u>	<u>RB33PS</u>	<u>RCONE2B</u>	<u>RD44PS</u>	<u>RC88PS</u>	<u>RB5FS</u>	<u>RB22FS</u>	<u>RC77FS</u>
Filter Assembly (Filter Bag & Holder Frame)	<u>B6PS</u>	<u>B33PS</u>	<u>CONE2B</u>	<u>D44PS</u>	<u>C88PS</u>	<u>B5FS</u>	<u>B22FS</u>	<u>C77FS</u>
Use for Fryer Oil Capacity to:	40 qts / 38 ltr 70 lbs / 32 kg	16 qts / 15 ltr 28 lbs / 13 kg	16 qts / 15 ltr 28 lbs / 13 kg	16 qts / 15 ltr 28 lbs / 13 kg	60 qts / 57 ltr 100 lbs / 45 kg	30 qts / 28 ltr 50 lbs / 23 kg	16 qts / 15 ltr 28 lbs / 13 kg	50 qts / 47 ltr 85 lbs / 39 kg
Dimensions	<u>RB6PS</u>	<u>RB33PS</u>	<u>RCONE2B</u>	<u>RD44PS</u>	<u>RC88PS</u>	<u>RB5FS</u>	<u>RB22FS</u>	<u>RC77FS</u>
Length (A)	11"	11"	8"	7.5"	14"	11"	11"	14"
Width (B)	9"	9"	8"	7"	12"	9"	9"	12"
Depth (C)	7"	6"	10"	8"	8.5"	7.5"	6"	7.5"
Shipping Weight	2 lbs	2 lbs	2 lbs	2 lbs	2 lbs	2 lbs	2 lbs	2 lbs

Skim Filter

For skimming and top filtering


Model	RSKIM4F	SK4
Description	Filter Bag	Holder/Frame
Length	7"	13"
Width	7.5"	7.5"



Holder/Frames

For filter bags

Model	Use with Filter Bag	Dimensions		Shipping Weight
		B	D	
<u>BF1A</u>	RB6PS, RB33PS, RB5FS & RB22FS	9"	22.5"	2 lbs
<u>DF3A</u>	RD44PS, RCONE2B	7.25"	18"	2 lbs
<u>CF2A</u>	C88PS and C77FS	13"	24"	3 lbs



Model B6PS
Holder / Frame
and filter bag
shown with
MirOil Filter pot
Model 60LC



FRYER FILTER BAG

MIR[®]OIL

- Rugged, electro polished stainless steel frame.
- Will not leach chemicals into the oil.
- Filter as many as 1000 fryers for ½ the cost of paper filters.
- Very thin but resistant to wear.
- Just rinse in water and reuse.
- Capable of filtering oil at frying temperatures.

Contact Us

+1.980.890.7010

orders@MirOil.com

13114 Bleinheim Lane
STE B, Matthews
28105

www.MirOil.com

Used to purify oil and grease
WITHOUT
a filter machine.



Extend the lifespan of your oil
through regular filtering!



Recommended to be used with our
line of disposal caddys.



Electro Polished
Stainless Steel Frame

Nylon Construction

Heavy Duty Poppers

Reusable as Many as
1000 times




*Recommended filtering at bath water temps for personal safety

Visit our website to view our full product range

www.MirOil.com

Hand Pump Oil Filter Machines



Electric Pump Oil Filter Machines



FryPowder – Portion packs and Bulk Powder



Frypolder®
Antioxidant Adsorbent
& Filter Aid

MIR[®] OIL

**Utility pails and
filter pots**

