

MIR[®]Oil

- Grease Buckets
- Oil Storage Pots

Pots, Pails & Filter Bags

DIRECTIONS FOR USE AND SAFETY INFORMATION

Safety First - Be Alert, Avoid Accidents

Always use a pot that will fit under the valve and is big enough to hold all the oil.
The oil level should be at least 2" below the top of the pot when the fryer is empty.

Do not lock the pot lid in place if the oil sizzles

There may be water in the oil that can build dangerous steam pressure

Procedure for safer and fast filtering with the EZ Flow[®] Filter Bag:

Filter in the morning when the oil is liquid and only 10F or 20F above room temperature.

A: For Fryers with drain valves:

For heavy crumb loads & faster filtering:

1. Drain the oil directly into filter pot. The oil does not pass through the filter bag.
2. Use a sauce pan and oil from the filter pot to flush crumb residue from the bottom of the fryer.
3. Shut the fryer drain valve. The heavy crumb and sludge will settle to the bottom of the filter pot and then place the EZ Flow[®] Filter across the top of the fryer.
4. Use the sauce pan to return the oil to the fryer through the filter bag until the weight of the oil and pot is light enough to be lifted and poured safely.
5. Set the thermostat to frying temperature and turn fryer ON.

For normal crumb loads:

1. Place the EZ Flow[®] Filter bag and frame across the top of the filter pot and carefully drain the oil through the filter bag.
2. Use a sauce pan and filtered oil from the filter pot to flush crumb residue from the bottom of the fryer into the filter pot.
3. Shut the fryer drain valve.
4. Use the sauce pan to return the oil to the fryer through the filter bag until the weight of the oil and pot is light enough to be lifted and poured safely.
5. Set the thermostat to frying temperature and turn fryer ON.

B: For fryers with lift out fry pans – WITHOUT drain valves

Use a sauce pan to remove warm oil from large lift out fryer pans.

Lift the pan and pour oil into a filter pot only when the weight and level of the oil is low.

Then use either of the procedures described in above 2 columns: "For heavy crumb loads & faster filtering" or "Normal crumb loads"

Pots, Pails and Filter Bag Cleaning Procedure:

- Your MirOil Filter Bag cleans in seconds using a rinse of hot water spray.
- Do not use soap or detergent to clean the filter bag, fry baskets, fryers or filter pots. Do not clean any of these items in the dishwasher. The least residue of soap or detergent will reduce the life and performance of your oil.
- Clip the pot lid in place and store both the filter and filter pot in the same safe place for next day use.

13114 Bleinheim Lne, STE B, Matthews, 28105, NC, USA

+1 980 890 7010

www.MirOil.com

Orders@MirOil.com



Avoid Fried Food & Fried Floor with Low Profile Safety Filter Drain Pots

A tool for safer filtering, storage and splash free transportation of hot oil.

- Fitted with heavy duty lifting handles.
- Gasketed safety lid held in place with four quick clips to avoid splash and spill.
- Oil contact surface is coated with high temperature approved phenolic finish.
- Exterior surface is food compatible enamel.
- Safety use decals furnished.



	With Mobility Base		Without Mobility Base		
Model	<u>40LC</u>	<u>60LC</u>	<u>30L</u>	<u>40L</u>	<u>60L</u>
Use for Oil Capacity to	35 lb	55 lb	45 lb	35 lb	55 lb
Diameter	14"	16"	12"	14"	16"
Height	12.4"	12.4"	17"	12"	12"
Shipping Weight [®]	15 lb	16 lb	8 lb	11 lb	12 lb
Compatible EZ Flow filter	RB6PS	RB6PS	RD44PS	RB6PS	RB6PS
Compatible Oil polishing Filter	RB5FS	RB5FS	N/A	RB5FS	RB5FS

Fry Oil Filter & Storage Pots



- Fry oil filter and storage pot for the safe handling and filtering of hot fryer oil.
- The MirOil EZ Flow Filter Assembly B6PS/02852 fits perfectly on top (sold separately) for convenient filtering.
- Made from food safe, rust-resistant coated steel with an enameled exterior for ultimate durability.
- Designed with a low profile to fit underneath most fryer drain valves.
- Features an anti-splash safety lid with gasket, heavy duty handles and quick lock clips.

MirOil Grease Bucket & Filter Pot With Lid Without Castor Wheel Mobility Base



SKU: 60L-02060

Capacity: 55 lbs / 7 gallons

Diameter: 16"

Height: 12"



SKU: 40L-02040

Capacity: 35 lbs / 5 gallons

Diameter: 14"

Height: 12"

MirOil Drain Pot with Lid With Castor Wheel Mobility Base



SKU: 60LC-02065

Capacity: 55 lbs / 7 gallons

Diameter: 16"

Height: 12 ½"



SKU: 40LC-02045

Capacity: 35 lbs / 5 gallons

Diameter: 14"

Height: 12 ½"



MirOil 6 Gallon Utility Pail - 30L

SKU: 30L-02030

- For the easy storage and transport of up to 6 gallons of deep fryer oil. Use to store and move new or used fryer oil, and to discard oil.
- The pail can also be used for filtering. The MirOil CONE2B filter bag and D size frame fits perfectly on top (sold separately).
- Safety features include quick-lock safety clips to firmly seal contents to avoid spillage and contamination.
- The pail has a food compatible interior coating safe for any food storage.
- The pail features specially designed handles on the top and sides for easy pouring.

Capacity: 6 gallons | **Diameter:** 12" | **Height:** 17"

MIR[®]IL


Utility pails and filter pots



Visit our website to view our full product range

www.MirOil.com

Hand Pump Oil Filter Machines



Electric Pump Oil Filter Machines



FryPowder – Portion packs and Bulk Powder



Fryp[®]owder
Antioxidant Adsorbent
& Filter Aid

MIR[®]IL